

Dimensions and Weights of Seamless and Welded Steel Pipe - New SINDA STEEL PIPE

**Upper Figures: Wall Thickness in Inches Lower Figures: Weight Per Foot in
Pounds www.netgms.com**

New Sinda welded pipe including Electronic Resistance Welded Pipe (ERW Pipe), Electronic Fusion Welded (EFW), and Double Submerged Arc Welded (DSAW Pipe) carbon steel pipe along with their respective carbon steel flanges and pipe fittings. We also have A252 Grades 2 & 3 spiral welded steel pipe.

PIPE SIZE	O.D. in inches	PIPE SCHEDULE														DBL. E.H.		
		5s	5	10s	10	20	30	40	STD	60	80	E.H.	100	120	140		160	
1/8	.405		.035	.049	.049			.068	.068		.095	.095						
			.1383	.1863	.1863			.2447	.2447		.3145	.3145						
1/4	.540		.049	.065	.065			.088	.088		.119	.119						
			.2570	.3297	.3297			.4248	.4248		.5351	.5351						
3/8	.675		.049	.065	.065			.091	.091		.126	.126						
			.3276	.4235	.4235			.5676	.5676		.7388	.7388						
1/2	.840	.065	.065	.083	.083			.109	.109		.147	.147					.187	.294
		.5383	.5380	.6710	.6710			.8510	.8510		1.088	1.088					1.304	1.714
3/4	1.050	.065	.065	.083	.083			.113	.113		.154	.154					.218	.308
		.6838	.6838	.8572	.8572			1.131	1.131		1.474	1.474					1.937	2.441
1	1.315	.065	.065	.109	.109			.133	.133		.179	.179					.250	.358
		.8678	.8678	1.404	1.404			1.679	1.679		2.172	2.172					2.844	3.659
1 1/4	1.660	.065	.065	.109	.109			.140	.140		.191	.191					.250	.382
		1.107	1.107	1.806	1.806			2.273	2.273		2.997	2.997					3.765	5.214
1 1/2	1.900	.065	.065	.109	.109			.145	.145		.200	.200					.281	.400
		1.274	1.274	2.085	2.085			2.718	2.718		3.631	3.631					4.859	6.408
2	2.375	.065	.065	.109	.109			.154	.154		.218	.218					.344	.436
		1.604	1.604	2.638	2.638			3.653	3.653		5.022	5.022					7.444	9.029
2 1/2	2.875	.083	.083	.120	.120			.203	.203		.276	.276					.375	.552
		2.475	2.475	3.531	3.531			5.793	5.793		7.661	7.661					10.01	13.70
3	3.5	.083	.083	.120	.120			.216	.216		.300	.300					14.32	18.58
		3.029	3.029	4.332	4.332			7.576	7.576		10.25	10.25					14.32	18.58
3 1/2	4.0	.083	.083	.120	.120			.226	.226		.318	.318						.636
		3.472	3.472	4.973	4.0973			9.109	9.109		12.51	12.51						22.85
4	4.5	.083	.083	.120	.120			.237	.237	.281	.337	.337		.438			.531	.674
		3.915	3.915	5.613	5.613			10.79	10.79	12.66	14.98	14.98		19.00			22.51	27.54
4 1/2	5.0							.247				.355						.710
								12.53				17.61						32.53
5	5.563	.109	.109	.134	.134			.258	.258		.375	.375		.500			.625	.750
		6.349	6.349	7.770	7.770			14.62	14.62		20.78	20.78		27.04			32.96	38.55
6	6.625	.109	.109	.134	.134			.280	.280		.432	.432		.562			.719	.864
		7.585	7.585	9.289	9.289			18.97	18.97		28.57	28.57		36.39			45.30	53.16
7	7.625							.301				.500						.875
								23.57				38.05						63.08
8	8.625	.109	.109	.148	.148	.250	.277	.322	.322	.406	.500	.500	.594	.719	.812	.906	.875	
		9.914	9.914	13.40	13.40	22.36	24.70	28.55	28.55	35.64	43.39	43.39	50.87	60.63	67.76	74.69	72.42	
9								.342				.500						

									33.90			48.72						
10	10.75	.134	.134	.165	.165	.250	.307	.365	.365	.500	.594	.500	.719	.844	1.000	1.125		
		15.19	15.19	18.65	18.65	28.04	34.24	40.48	40.48	54.74	64.33	54.74	76.93	89.20	104.1	115.6		
11	11.75								.375			.500						
									45.55			60.07						
12	12.75	.156	.156	.180	.180	.250	.330	.406	.375	.562	.688	.500	.844	1.000	1.125	1.312		
		20.98	20.98	24.16	24.16	33.38	43.77	53.53	49.56	73.16	88.51	65.42	107.2	125.5	139.7	160.3		
14	14.0	.156		.188	.250	.312	.375	.437	.375	.594	.750	.500	.938	1.094	1.250	1.406		
		23.07		27.73	36.71	45.68	54.57	63.37	54.57	84.91	106.1	72.09	130.7	150.7	170.2	189.1		
16	16.0	.165		.188	.250	.312	.375	.500	.375	.656	.844	.500	.1031	1.219	1.438	1.593		
		27.90		31.75	42.05	52.36	62.58	82.77	62.58	107.5	136.5	82.77	164.8	192.3	223.5	245.1		
18	18.0	.165		.188	.250	.312	.437	.562	.375	.750	.938	.500	1.156	1.375	1.562	1.781		
		31.43		35.76	47.39	59.03	82.06	104.8	70.59	138.2	170.8	93.45	208.0	244.1	274.2	308.5		
20	20.0	.188		.218	.250	.375	.500	.594	.375	.812	1.031	.500	1.281	1.500	1.750	1.968		
		39.78		46.05	52.73	78.60	104.1	122.9	78.6	166.4	208.9	104.1	256.1	296.4	341.1	379.0		
22	22.0				.250	.375	.500		.375	.875	1.125	.500	1.357	1.625	1.875	2.125		
					58.07	86.61	114.81		86.61	197.42	250.82	114.81	302.88	353.61	403.01	451.07		
24	24.0	.218		.250	.250	.375	.562	.687	.375	.969	1.219	.500	1.531	1.812	2.062	2.343		
		55.37		63.41	63.41	94.62	140.8	171.2	94.62	238.1	296.4	125.5	367.4	429.4	483.1	541.9		
30	30.0				.312	.500	.625		.375			.500						
					99.00	158.0	196.0		119.0			158.0						

Dimensions and Weights of Seamless and Welded Pipe

Upper Figures: Wall Thickness in Inches Lower Figures: Weight Per Foot in Pounds

Carbon Spiral Weld Pipe In www.netgms.com and pipe Sizes 24" to 84"
 OD Wall Thickness - Up to 1.500" Specifications & Grades A139 -
 Grade B A252 - Grades 2 & 3